



# DripTape

 **SAB**  
cherish your water

 **SYSTEM GROUP**

10.2021




✓ **Gocciolatore anti reflusso**  
 Anti-reflux slit emitter / Orifizio anti-reflux  
 Gotero protegido / Эмиттер с предотвращением противотока

✓ **Labirinto ad ampia sezione**  
 Large section labyrinth / Labyrinthe à section large  
 Laberinto de sección amplia / Лабиринт широкого сечения

✓ **Flusso turbolento**  
 Turbulent flow / Flux turbulent  
 Flujo turbolento / Турбулентный поток

✓ **Filtro d'ingresso**  
 Inlet filter / Filtre d'entrée  
 Filtro de entrada / Входной фильтр

✓ **Filtrazione richiesta**  
 Filtration required / Filtrage recommandé  
 Filtración requerida / Требуемый уровень фильтрации  
 100 micron - 150 mesh



Ø 16 mm

Ø 22 mm

\* 90% 85%

**I/h**    **cm** | **I/h-m**

**0,6**

20	3,0
30	2,0
40	1,5

**1,0**



10	10,0
20	5,0
30	3,3
40	2,5

**1,5**

10	15,0
20	7,5
30	5,0
40	3,8

**2,0**


10	20,0
20	10,0



\* E.U. – uniformità di emissione / emission uniformity / uniformité d'émission / uniformidad de emisión  
 Passo 15cm su richiesta / 15cm Spacing upon request / Espacement 15cm sur demande / Distancia 15cm sobre pedido

# Main coil

CODE: 33L



Ø	mil	mm	bar	bar max	m	Kg
-	-	-	-	-	-	-
16	6	0,150	0,7	0,9	3000	30,0
16	7	0,175	0,7	1,0	2500	26,5
16	8	0,200	0,7	1,0	2200	27,0
16	10	0,250	0,7	1,2	1800	25,0
16	12	0,300	0,7	1,5	1500	24,0
16	15	0,375	0,7	1,5	1200	23,0
22	6	0,150	0,7	0,9	2200	28,0
22	7	0,175	0,7	1,0	2000	27,0
22	8	0,200	0,7	1,0	1700	27,0
22	10	0,250	0,7	1,2	1300	26,0
22	12	0,300	0,7	1,5	1000	24,0

**coils x pallet**

16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32

**20' container**

pallet	coils
-	-
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280


**40' hight cube container**

pallet	coils
-	-
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768

**truck**

pallet	coils
-	-
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832

# Half coil



Ø	mil	mm	bar	bar max	m	Kg
-	-	-	-	-	-	-
16	6	0,150	0,7	0,9	1500	15,2
16	7	0,175	0,7	1,0	1250	13,4
16	8	0,200	0,7	1,0	1100	13,7

**coils x pallet**

-
56
56
56

**20' container**

pallet	coils
-	-
10	560
10	560
10	560


**40' container**

pallet	coils
-	-
24	1344
24	1344
24	1344

**truck**

pallet	coils
-	-
26	1456
26	1456
26	1456

# 1000m coil



Ø	mil	mm	bar	bar max	m	Kg
-	-	-	-	-	-	-
16	6	0,150	0,7	0,9	1000	10,2
16	7	0,175	0,7	1,0	1000	10,7
16	8	0,200	0,7	1,0	1000	12,4

**coils x pallet**

-
72
60
60

**20' container**

pallet	coils
-	-
10	720
10	600
10	600


**40' container**

pallet	coils
-	-
24	1728
24	1440
24	1440

**truck**

pallet	coils
-	-
26	1872
26	1560
26	1560

# 200m coil



Ø	mil	mm	bar	bar max	m	Kg
16	6	0,150	0,7	0,9	200	2,2
16	7	0,175	0,7	1,0	200	2,5
16	8	0,200	0,7	1,0	200	2,6

**coils x pallet**

176
176
176

**20' container**

pallet	coils
10	1760
10	1760
10	1760


**40' container**

pallet	coils
24	4224
24	4224
24	4224

**truck**

pallet	coils
26	4576
26	4576
26	4576

# 100m coil



Ø	mil	mm	bar	bar max	m	Kg
16	6	0,150	0,7	0,9	100	1,3
16	7	0,175	0,7	1,0	100	1,3
16	8	0,200	0,7	1,0	100	1,5

**coils x pallet**

368
368
368

**20' container**

pallet	coils
10	3680
10	3680
10	3680

**40' container**


pallet	coils
24	8832
24	8832
24	8832

**truck**

pallet	coils
26	9568
26	9568
26	9568



- ✓ **Gocciolatore anti reflusso**  
Anti-reflux slit emitter / Orifice anti-reflux  
Gotero protegido / Эмиттер с предотвращением противотока
- ✓ **Labirinto ad ampia sezione**  
Large section labyrinth / Labyrinthe à section large  
Laberinto de sección amplia / Лабиринт широкого сечения
- ✓ **Flusso turbolento**  
Turbulent flow / Flux turbulent  
Flujo turbolento / Турбулентный поток
- ✓ **Filtro d'ingresso**  
Inlet filter / Filtre d'entrée  
Filtro de entrada / Входной фильтр
- ✓ **Filtrazione richiesta**  
Filtration required / Filtrage recommandé  
Filtración requerida / Требуемый уровень фильтрации  
100 micron - 150 mesh



## Ø 16 mm

## Ø 22 mm

\* 90% 85%



**I/h**    **cm** | **I/h-m**

<b>0,6</b>	20	3,0
	30	2,0
	40	1,5

<b>1,0</b>	10	10,0
	20	5,0
	30	3,3
	40	2,5

<b>1,5</b>	10	15,0
	20	7,5
	30	5,0
	40	3,8

<b>2,0</b>	10	20,0
	20	10,0




\* E.U. – uniformità di emissione / emission uniformity / uniformité d'émission / uniformidad de emisión

## Main coil

CODE: 34B




	Ø	mil	mm	bar	bar max	m	Kg
	16	5	0,125	0,7	0,9	3500	30,5
	16	6	0,150	0,7	0,9	3000	30,0
	16	7	0,175	0,7	1,0	2500	26,5
	16	8	0,200	0,7	1,0	2200	27,0
	16	10	0,250	0,7	1,2	1800	25,0



coils x pallet

16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32

20' container



pallet coils

10 x 28 280
10 x 28 280
10 x 28 280
10 x 28 280
10 x 28 280
10 x 28 280


40' high cube container



pallet coils

24 x 32 768
24 x 32 768
24 x 32 768
24 x 32 768
24 x 32 768
24 x 32 768

truck




pallet coils

26 x 32 832
26 x 32 832
26 x 32 832
26 x 32 832
26 x 32 832
26 x 32 832

## Half coil




	Ø	mil	mm	bar	bar max	m	Kg
	16	5	0,125	0,7	0,9	1750	15,4
	16	6	0,150	0,7	0,9	1500	15,2
	16	7	0,175	0,7	1,0	1250	13,5
	16	8	0,200	0,7	1,0	1100	13,7



coils x pallet

56
56
56
56
56


20' container



pallet coils

10 560
10 560
10 560
10 560
10 560


40' container



pallet coils

24 1344
24 1344
24 1344
24 1344
24 1344

truck




pallet coils

26 1456
26 1456
26 1456
26 1456
26 1456

## 1000m coil




	Ø	mil	mm	bar	bar max	m	Kg
	16	5	0,125	0,7	0,9	1000	9,0
	16	6	0,150	0,7	0,9	1000	10,2
	16	7	0,175	0,7	1,0	1000	10,7
	16	8	0,200	0,7	1,0	1000	12,4



coils x pallet

80
72
60
60


20' container



pallet coils

10 800
10 720
10 600
10 600


40' container



pallet coils

24 1920
24 1728
24 1440
24 1440

truck




pallet coils

26 2080
26 1872
26 1560
26 1560

## 200m coil




	Ø	mil	mm	bar	bar max	m	Kg
	16	6	0,150	0,7	0,9	200	2,2
	16	7	0,175	0,7	1,0	200	2,5
	16	8	0,200	0,7	1,0	200	2,6



coils x pallet

176
176
176


20' container



pallet coils

10 1760
10 1760
10 1760

40' container



pallet coils

24 4224
24 4224
24 4224

truck




pallet coils

26 4576
26 4576
26 4576

## 100m coil




	Ø	mil	mm	bar	bar max	m	Kg
	16	6	0,150	0,7	0,9	100	1,3
	16	7	0,175	0,7	1,0	100	1,3
	16	8	0,200	0,7	1,0	100	1,5



coils x pallet

368
368
368


20' container



pallet coils

10 3680
10 3680
10 3680

40' container



pallet coils

24 8832
24 8832
24 8832

truck




pallet coils

26 9568
26 9568
26 9568



- ✓ **Gocciolatore anti reflusso**  
 Anti-reflux slit emitter / Orifce anti-reflux  
 Gotero protegido / Эмиттер с предотвращением противотока
- ✓ **Labirinto ad ampia sezione**  
 Large section labyrinth / Labyrinthe à section large  
 Laberinto de sección amplia / Лабиринт широкого сечения
- ✓ **Filtro d'ingresso**  
 Inlet filter / Filtre d'entrée  
 Filtro de entrada / Входной фильтр
- ✓ **Flusso turbolento**  
 Turbulent flow / Flux turbulent  
 Flujo turbolento / Турбулентный поток
- ✓ **Filtrazione richiesta**  
 Filtration required / Filtrage recommandé  
 Filtración requerida / Требуемый уровень фильтрации  
 100 micron - 150 mesh



Ø 16 mm

Ø 22 mm

\* 90% 85%



I/h	cm	I/h-m
-----	----	-------

0,6	20	3,0
	30	2,0
	40	1,5

1,0	10	10,0
	20	5,0
	30	3,3
	40	2,5

1,5	10	15,0
	20	7,5
	30	5,0
	40	3,8

2,0	10	20,0
	20	10,0




\* E.U. – uniformità di emissione / emission uniformity / uniformité d'émission / uniformidad de emisión

## Main coil

CODE: 32S




	Ø	mil	mm	bar	bar max	m	Kg
	16	5	0,125	0,7	0,9	3500	28,5
	16	6	0,150	0,7	0,9	3000	28,0
	16	7	0,175	0,7	1,0	2600	26,5
	16	8	0,200	0,7	1,0	2200	25,5
	16	10	0,250	0,7	1,2	1800	23,5




coils x pallet
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32
16 - 28 - 32

20' container




pallet	coils
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280
10 x 28	280

40' hight cube container



pallet	coils
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768
24 x 32	768

truck




pallet	coils
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832
26 x 32	832

## Half coil




	Ø	mil	mm	bar	bar max	m	Kg
	16	5	0,125	0,7	0,9	1750	14,4
	16	6	0,150	0,7	0,9	1500	14,2
	16	7	0,175	0,7	1,0	1300	13,3
	16	8	0,200	0,7	1,0	1100	13,2




coils x pallet
56
56
56
56

20' container




pallet	coils
10	560
10	560
10	560
10	560

40' container



pallet	coils
24	1344
24	1344
24	1344
24	1344

truck




pallet	coils
26	1456
26	1456
26	1456
26	1456

## 1000m coil



	Ø	mil	mm	bar	bar max	m	Kg
	16	5	0,125	0,7	0,9	1000	8,4
	16	6	0,150	0,7	0,9	1000	9,5
	16	7	0,175	0,7	1,0	1000	10,4
	16	8	0,200	0,7	1,0	1000	11,9



coils x pallet
80
72
60
60

20' container



pallet	coils
10	800
10	720
10	600
10	600

40' container



pallet	coils
24	1920
24	1728
24	1440
24	1440

truck




pallet	coils
26	2080
26	1872
26	1560
26	1560

## 200m coil




	Ø	mil	mm	bar	bar max	m	Kg
	16	6	0,150	0,7	0,9	200	2,1
	16	7	0,175	0,7	1,0	200	2,3
	16	8	0,200	0,7	1,0	200	2,5



coils x pallet
176
176
176

20' container



pallet	coils
10	1760
10	1760
10	1760

40' container



pallet	coils
24	4224
24	4224
24	4224

truck




pallet	coils
26	4576
26	4576
26	4576

## 100m coil




	Ø	mil	mm	bar	bar max	m	Kg
	16	6	0,150	0,7	0,9	100	1,2
	16	7	0,175	0,7	1,0	100	1,3
	16	8	0,200	0,7	1,0	100	1,4




coils x pallet
368
368
368

20' container




pallet	coils
10	3680
10	3680
10	3680

40' container



pallet	coils
24	8832
24	8832
24	8832

truck



pallet	coils
26	9568
26	9568
26	9568


## FREE IRRIGATION TOOL

Progetta il tuo impianto di irrigazione  
in 30 secondi

Design your drip irrigation system  
in 30 seconds

Concevez votre système d'irrigation  
en 30 secondes

Proyecta tu sistema de riego  
en 30 segundos



**SAB**  
cherish your water



**SAB S.p.A.**

via Salvo D'Acquisto  
61048 Sant'Angelo in Vado (PU) - Italy

tel. +39 0722 810 800

fax +39 0722 810 158

sab@tubi.net

[www.sabspa.com](http://www.sabspa.com)

**SYSTEM GROUP**

www.tubi.net